

buro

DYNAMIC



**Buro Alto.**

[buroseating.com](http://buroseating.com)

Exclusively for



# Buro Alto.

## Intuitive movement.

A refined high performance task chair. The modern contemporary look is matched with superb ergonomic features including Buro's state of the art "Dynamic Intelligence™" mechanism. This mechanism optimise's user comfort and ergonomic support with intuitive movement. A comfortable moulded foam seat, adjustable lumbar support and adjustable arms round out a well spec'd chair.

### Key Features & Benefits.

BUAL791AM3 Alto



**MESH BACK**  
Breathable mesh back to help regulate temperature and keep you cool.

**HEIGHT ADJUSTABLE ARMS**  
Height adjustable arms with soft touch PU pads

**"DYNAMIC INTELLIGENCE™" MECHANISM**  
Automatic body weight tension adjustment

### International Standards.

The Buro Alto is supported by the following Internationally recognised standards:

- **AFRDI 142** Rated Load 135kg Single Shift certification<sup>3</sup>
- **GREENGUARD Gold** certification
- **100% FSC® Certified** Wood

### Ergonomic Assessment.

The Buro Alto has been ergonomically assessed and endorsed by the Australian Physiotherapy Association.

### Features.

- Stylish black frame
- Breathable mesh back
- Transparent adjustable lumbar support
- PU moulded seat foam
- Depth adjustable seat slide
- "Dynamic Intelligence™" mechanism with automatic body weight tension adjustment
- Black nylon base
- Height adjustable arms with soft touch PU pads

#### Custom Options.

- Customer specified fabric (seat only)

### Specifications. (mm)


Overall	700w / 581d / 1135h
Back	483w / 560h
Seat	483w / 431d
Seat Height	475-575h

#### Carton Dimensions. (mm)


Width	750
Height	330
Length	650

### Upholstery.

Fabric Custom<sup>6</sup>



Black<sup>1</sup>  
AM3




### Quality Assurance and Accreditations.



<sup>1</sup>Fabric: Same day dispatch. For custom fabric ETA's can be supplied on request. <sup>2</sup>10 Yr Guarantee: Excludes upholstery. <sup>3</sup>Buro Indicative daily sitting hours: 8+ with 10 yr guarantee <sup>4</sup>Static Load Testing: Furntech - AFRDI approved for users up to & including 135kg. Static Load tested to 410kg. Any Static Load test is a strength test which simulates higher than normal dynamic loads that may occasionally be applied to a chair by the user. <sup>5</sup>AFRDI Standard AFRDI 142 - rated loads for office swivel chairs at 135kg - Single Shift operations. <sup>6</sup>Seat slide: Measured from back lumbar to front seat edge. **General:** Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development, Buro reserves the right to alter product specifications & features without notice.

# Buro Product Stewardship Programme.

We encourage repurposing and recycling of pre-loved office furniture to reduce our impact on the environment. When a customer has Buro furniture\* that they wish to dispose of, we apply the following steps to determine the most appropriate method.



To mitigate our CO<sub>2</sub> footprint over the next 50 years, we're working with **Trees That Count**, a conservation charity dedicated to planting native trees.

By funding the planting of native trees, we're supporting efforts to increase biodiversity across New Zealand.

**Buro** proudly support **Greening Australia**.

Greening Australia has been restoring Australia's unique landscapes and protecting biodiversity at scale through collaborative, science-based programs for over 40 years.  
[www.greeningaustralia.org.au](http://www.greeningaustralia.org.au)

As a **Sedex member** we are committed to being a responsible business, sourcing responsibly, and improving ethical standards and working conditions within the supply chain.

\*Qualifying furniture must be Buro branded product (Buro Seating, Konfurb, Mondo), or a partner exclusive brand.  
^Many of our products are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill.